



Disrupt – Single Product e-Commerce HTML Template

[SUPPORT](#)

[OUTSOURCING](#)

0.1 Disrupt - Single Product e-Commerce HTML Template – Responsive HTML5 Template

[SUPPORT](#)[Our Blog](#)

Thank you for purchasing this theme. If you have any questions that are beyond the scope of this help file, please feel free to start new ticket on this page. Thanks so much!

Scope of free support

We can help you with:

1. Responding to questions or problems regarding the item and its features
2. Fixing any discovered item's bugs
3. Providing updates to ensure compatibility with new software versions

0.1 HTML Structure

This theme is built upon bootstrap framework and is fully responsive. It adapts to window resolution and looks good on all devices including iPad and iPhone.

See for yourself (resize your browser).

If you would like to read more
about bootstrap framework click here :

[Bootstrap Documentation](#)

Grid System and Single row structure

The default Bootstrap grid system utilizes 12 columns. It's responsive grid and adapts to viewport. Below 767px viewports, the columns become fluid and stack vertically. The fluid grid system uses percents instead of pixels for column widths. Each row always include 12 columns (for example col-md-8 + col-md-4 = col-md-12).

[Bootstrap documentation: here](#)

Basic grid HTML:

```
1 <div class="row">
2     <div class="col-md-1">.col-md-1</div>
3
4     <div class="col-md-1">.col-md-1</div>
5
6     <div class="col-md-1">.col-md-1</div>
7
8     <div class="col-md-1">.col-md-1</div>
9
10    <div class="col-md-1">.col-md-1</div>
11
12    <div class="col-md-1">.col-md-1</div>
13
14    <div class="col-md-1">.col-md-1</div>
15
16    <div class="col-md-1">.col-md-1</div>
17
18    <div class="col-md-1">.col-md-1</div>
19 </div>
20
21 <div class="row">
22     <div class="col-md-8">.col-md-8</div>
23     <div class="col-md-4">.col-md-4</div>
24 </div>
25
26
```

```
27 <div class="row">
    <div class="col-md-4">.col-md-4</div>
    <div class="col-md-4">.col-md-4</div>
    <div class="col-md-4">.col-md-4</div>
</div>
<div class="row">
    <div class="col-md-6">.col-md-6</div>
    <div class="col-md-6">.col-md-6</div>
</div>
```

Page structure

Below you will find default page structure :

```
1 <!DOCTYPE html>
2
3 <html>
4 <head>
5
6 [css]
7
8
9 </head>
10 <body>
11
12 [header]
13 [main menu]
14
15 <!-- main container -->
16 <div id="wrapper">
17
18 [component 1]
19
20 <!-- fullwidth element -->
21 </div>
22 [fullwidth parallax]
23 <div class="container">
24 <!-- / fullwidth element -->
25
26 [component 6]
27
28 </div>
29 <!-- / main container -->
30
31 [footer]
```

```
[javascripts]
```

```
</body>
```

```
</html>
```

0.1 CSS files and structure

If you would like to edit the color, font, or style of any elements, you would do the following:

```
1 #primaryContent a {color: #someColor;}
```

If you find that your new style is not overriding, it is most likely because of a specificity problem. Scroll down in your CSS file and make sure that there isn't a similar style that has more weight.

I.E.

```
1 #wrap #primaryContent a {color: #someColor;}
```

So, to ensure that your new styles are applied, make sure that they carry enough "weight" and that there isn't a style lower in the CSS file that is being applied after yours.

Colors

The theme includes a css file wick you can use to edit the colors.

You just need to add the corresponding CSS file to the head of the page like this:

```
1 <head>
2   (..)
3   <link rel="stylesheet" type="text/css" href="css/motive.css">
4   (..)
5   </head>
```

Icons

We've included 360+ font icons.

Awesome Icons – <http://fontawesome.io/icons/>

HTML markup:

```
1 <!-- Awesome Icons -->
2 <i class="fa fa-cog"></i>
```

CSS Files & Structure

We've included 2 files.

bootstrap.css contains Bootstrap 3 Library.

style.css file contains general styles.

style.less


1. variables
2. mixins
3. animate
4. slick
5. selectize
6. global
7. utili
8. lightgallery
9. lg-transitions
10. date-picker
11. shop-locator
12. navbar
13. footer
14. buttons
15. contact-form
16. toggleables
17. tooltip
18. typography

0.1 Java Script Components

JavaScript files:

- jquery.min.js – <https://jquery.com/>
- skrollr.min.js – <http://prinzhorn.github.io/skrollr/>
- jquery.isotope.min.js – <http://isotope.metafizzy.co/>
- selectize.min.js
- datepicker
- selectize.min.js – <https://brianreavis.github.io/selectize.js/>
- shop-locator – more information about this plugin you will find [HERE](#)
- paypal-html-shop – more information about this plugin you will find [HERE](#)
- rogressBar
- slick.js – <http://kenwheeler.github.io/slick/>
- helpers.js
- bootstrap.min.js – <http://getbootstrap.com/getting-started/>
- browser.min.js – <https://github.com/gabceb/jquery-browser-plugin>
- device.min.js – <https://github.com/borismus/device.js/tree/master/build>
- jquery.appear.js
- jquery.placeholder.min.js – <https://github.com/mathiasbynens/jquery-placeholder>
- skrollr.min.js – <http://prinzhorn.github.io/skrollr/>
- main.js

Screenshot



0.1 Preloader

In Disrupt - Single Product e-Commerce HTML Template we are using Pace preloader.


HTML markup

```
1 <div class="ct-preloader">
2     <div class="ct-preloader-inner">
3         <div class="ct-preloader-logo">
4             
5             <h6 class="ct-preloader-title">Please wait, loading...</h6>
6             <div class="loading">
7                 <div class="loading-line"></div>
8                 <div class="loading-break loading-dot-1"></div>
9                 <div class="loading-break loading-dot-2"></div>
10                <div class="loading-break loading-dot-3"></div>
11            </div>
12        </div>
13    </div>
14</div>
```

This HTML is added to the body of the HTML

```
1 <body>
2     preloader
3 </body>
```

ScreenShot



JavaScript

```
1 $('ct-preloader').fadeOut('slow');
```

You will find this code on path ../assets/js/main.js

0.1 Navigation

Navigation is really important part of the theme. In Disrupt - Single Product e-Commerce HTML Template we have 3 variations of it. The menu markup also contains search bar.

1. Default navigation
2. Navbar wide navigation
3. Navbar white
4. Navbar dark

— Default navigation

HTML markup

```
1 <nav data-height="80" class="navbar navbar-default navbar-desktop navbar--animated
2   <div class="container">
3     <div class="row">
4       <div class="col-sm-12">
5         <div class="navbar-header">
6           <a href="index.html" class="navbar-brand">
7             
11          <li><a href="" class="btn-group btn-group--separated"><span cla
12        </li>
13      </ul>
14      <ul role="menu" class="nav navbar-nav ct-navbar--fadeIn">
15        <li class="nav-item dropdown"><a>Home</a>
16          <ul role="menu" class="dropdown-menu">
17            <li class="nav-item"><a href="index3.html">Smartwatch</
18          </li>
19          <li class="nav-item"><a href="index.html">Drone</a>
20          </li>
21          <li class="nav-item"><a href="index5.html">Smartphone</
22          </li>
23          <li class="nav-item"><a href="index2.html">Beacon</a>
```

```

33         </li>
34     <li class="nav-item dropdown-submenu"><a href="index4.h
35         <ul role="menu" class="dropdown-menu">
36             <li class="nav-item"><a href="#">Submenu 1</a>
37             </li>
38             <li class="nav-item"><a href="#">Submenu 2</a>
39             </li>
40             <li class="nav-item"><a href="#">Submenu 3</a>
41             </li>
42             <li class="nav-item"><a href="#">Submenu 4</a>
43             </li>
44         </ul>
45     </li>
46 </ul>
47 </li>
48 </ul>
49 </li>
50 </ul>
51 </li>
52 </ul>
53 </li>
54 <li class="nav-item"><a href="#">Features</a>
55 </li>
56 <li class="nav-item"><a href="#">Product</a>
57 </li>
58 <li class="nav-item dropdown"><a>Pages</a>
59     <ul role="menu" class="dropdown-menu">
60         <li class="nav-item"><a href="services.html">Services</
61         </li>
62         <li class="nav-item"><a href="shop-locator.html">Shop 1
63         </li>
64         <li class="nav-item"><a href="press-kit.html">Press kit
65         </li>
66         <li class="nav-item"><a href="404.html">404 page</a>
67         </li>
68         <li class="nav-item"><a href="faq.html">FAQ</a>
69         </li>
70         <li class="nav-item"><a href="investors.html">Investors
71         </li>
72         <li class="nav-item"><a href="privacy-policy.html">Priv
73         </li>
74         <li class="nav-item"><a href="terms-conditions.html">Te
75         </li>
76     </ul>
77 </li>
78 <li class="nav-item"><a href="about-us.html">About us</a>
79 </li>
80 <li class="nav-item"><a href="contact-us.html">Contact</a>
81 </li>
82 </ul>
83 </div>
84 </div>


```

```

    </div>
</nav>

```

Screenshots



— Navbar wide navigation

HTML markup

```

1  <nav data-background="#ffffff" data-height="80" class="navbar navbar-default navbar
2
3      <div class="navbar-header">
4          <a href="index.html" class="navbar-brand">
5              <div class="inner">
6                  
8          </a>
9
10         <ul class="ct-socials ct-socials--motive list-unstyled list-inline">
11             <li><a href="#" data-toggle="tooltip" data-placement="bottom" title="Facebook"
12             </li>
13             <li><a href="#" data-toggle="tooltip" data-placement="bottom" title="Twitter"
14             </li>
15             <li><a href="#" data-toggle="tooltip" data-placement="bottom" title="Pinterest"
16             </li>
17             <li><a href="#" data-toggle="tooltip" data-placement="bottom" title="Google Plus"
18             </li>
19             <li><a href="#" data-toggle="tooltip" data-placement="bottom" title="Email"
20             </li>
21         </ul>
22
23         <div class="ct-contactBox"><a href="tel:123456789"><span class="ct-contactBox"
24         </div>
25
26         <div class="ct-iconBox ct-iconBox--small media ct-contactBox--responsive">
27             <a href="tel:123456789">
28                 <div class="media-left">
29                     <div class="ct-iconBox-icon"><i class="fa fa-phone"></i>
30                 </div>
31             </a>
32         </div>
33
34         <div class="ct-iconBox ct-iconBox--small media">
35             <a href="shop-locator.html">
36                 <div class="media-left">
37                     <div class="ct-iconBox-icon"><i class="fa fa-map-marker"></i>
38                 </div>
39             </a>
40         </div>
41     </div>

```

```

42         </div>
43     </div>
44     <div class="media-body">
45         <h6 class="ct-iconBox-title">Locate <br> our shop</h6>
46     </div>
47 </a>
48 </div>
49
50 </div>
51
52 </div>
53 <div class="ct-search-link"><a href="#"><i class="fa fa-search"></i></a>
54 </div>
55
56 <ul role="menu" class="nav navbar-nav ct-navbar--fadeIn">
57     <li class="nav-item dropdown"><a>Home</a>
58     <ul role="menu" class="dropdown-menu">
59         <li class="nav-item"><a href="index3.html">Smartwatch</a>
60         </li>
61         <li class="nav-item"><a href="index.html">Drone</a>
62         </li>
63         <li class="nav-item"><a href="index5.html">Smartphone</a>
64         </li>
65         <li class="nav-item"><a href="index2.html">Beacon</a>
66         </li>
67         <li class="nav-item dropdown-submenu"><a href="index4.html">Vr mask
68         <ul role="menu" class="dropdown-menu">
69             <li class="nav-item"><a href="#">Submenu 1</a>
70             </li>
71             <li class="nav-item"><a href="#">Submenu 2</a>
72             </li>
73             <li class="nav-item"><a href="#">Submenu 3</a>
74             </li>
75             <li class="nav-item"><a href="#">Submenu 4</a>
76             </li>
77         </ul>
78         </li>
79     </ul>
80 </li>
81 <li class="nav-item"><a href="#">Product</a>
82 </li>
83 <li class="nav-item"><a href="#">Experience</a>
84 </li>
85 <li class="nav-item dropdown"><a>Pages</a>
86     <ul role="menu" class="dropdown-menu">
87         <li class="nav-item"><a href="services.html">Services</a>
88         </li>
89         <li class="nav-item"><a href="shop-locator.html">Shop locator</a>
90         </li>
91         <li class="nav-item"><a href="press-kit.html">Press kit</a>
92     </ul>
93 </li>
94 </ul>
95
96


```

```

        </li>
        <li class="nav-item"><a href="404.html">404 page</a>
        </li>
        <li class="nav-item"><a href="faq.html">FAQ</a>
        </li>
        <li class="nav-item"><a href="investors.html">Investors</a>
        </li>
        <li class="nav-item"><a href="privacy-policy.html">Privacy Policy</a>
        </li>
        <li class="nav-item"><a href="terms-conditions.html">Terms & conditions</a>
        </li>
    </ul>
</li>
<li class="nav-item"><a href="about-us.html">About us</a>
</li>
<li class="nav-item"><a href="contact-us.html">Contact</a>
</li>
<li class="nav-item"><a href="#">Order now</a>
</li>
</ul>
</nav>

```

Screenshot



— Navbar white

HTML markup

```

1 <nav data-height="80" class="navbar navbar-default navbar-light navbar-desktop navb
2     <div class="container">
3         <div class="row">
4             <div class="col-sm-12">
5                 <div class="navbar-header">
6                     <a href="index.html" class="navbar-brand">
7                         
12            </ul>
13        </div>
14    </div>
15

```

```

16         <li><a href="" class="btn-group btn-group--separated"><span cla
17     </li>
18 </ul>
19 </ul>
20 <ul role="menu" class="nav navbar-nav ct-navbar--fadeIn">
21     <li class="nav-item dropdown"><a>Home</a>
22         <ul role="menu" class="dropdown-menu">
23             <li class="nav-item"><a href="index3.html">Smartwatch</a>
24             </li>
25             <li class="nav-item"><a href="index.html">Drone</a>
26             </li>
27             <li class="nav-item"><a href="index5.html">Smartphone</a>
28             </li>
29             <li class="nav-item"><a href="index2.html">Beacon</a>
30             </li>
31             <li class="nav-item dropdown-submenu"><a href="index4.h
32                 <ul role="menu" class="dropdown-menu">
33                     <li class="nav-item"><a href="#">Submenu 1</a>
34                     </li>
35                     <li class="nav-item"><a href="#">Submenu 2</a>
36                     </li>
37                     <li class="nav-item"><a href="#">Submenu 3</a>
38                     </li>
39                     <li class="nav-item"><a href="#">Submenu 4</a>
40                     </li>
41                 </ul>
42             </li>
43         </ul>
44     </li>
45     <li class="nav-item"><a href="#">Features</a>
46     </li>
47     <li class="nav-item"><a href="#">Product</a>
48     </li>
49     <li class="nav-item dropdown"><a>Pages</a>
50         <ul role="menu" class="dropdown-menu">
51             <li class="nav-item"><a href="services.html">Services</a>
52             </li>
53             <li class="nav-item"><a href="shop-locator.html">Shop 1
54             </li>
55             <li class="nav-item"><a href="press-kit.html">Press kit
56             </li>
57             <li class="nav-item"><a href="404.html">404 page</a>
58             </li>
59             <li class="nav-item"><a href="faq.html">FAQ</a>
60             </li>
61             <li class="nav-item"><a href="investors.html">Investors
62             </li>


```

```

        <li class="nav-item"><a href="privacy-policy.html">Priv
        </li>
        <li class="nav-item"><a href="terms-conditions.html">Te
        </li>
    </ul>
</li>
<li class="nav-item"><a href="about-us.html">About us</a>
</li>
<li class="nav-item"><a href="contact-us.html">Contact</a>
</li>
</ul>
</div>
</div>
</div>
</nav>

```

Screenshot



— Navbar dark

HTML markup

```

1  <nav data-height="80" class="navbar navbar-dark navbar-fixed navbar-desktop">
2      <div class="container">
3          <div class="row">
4              <div class="col-sm-4">
5                  <ul class="list-unstyled list-inline ct-socials--rounded">
6                      <li><a href="#"><i class="fa fa-facebook"></i></a>
7                      </li>
8                      <li><a href="#"><i class="fa fa-twitter"></i></a>
9                      </li>
10                     <li><a href="#"><i class="fa fa-instagram"></i></a>
11                     </li>
12                 </ul>
13             </div>
14             <div class="col-sm-4">
15                 <div class="navbar-header">
16                     <a href="index.html" class="navbar-brand">

```




```

24         
30     <ul role="menu" class="nav navbar-nav">
31         <li class="ct-productCart-link"><a href="#"><i class="fa fa-sho
32             <div class="ct-productCart">
33                 </div>

```

Screenshot



0.1 Section Header

In Disrupt - Single Product e-Commerce HTML Template we have one version of this element that can be created using this markup below

HTML markup

```

1 <div class="ct-sectionHeader ct-sectionHeader--typeDarken ct-sectionHeader--subtitle
2     <h3 class="ct-sectionHeader-title">Features</h3>
3     <h4 class="ct-sectionHeader-subtitle">We were developing our drone for 3 years.
4 </div>

```

Screenshot

Features

*We were developing our drone for 3 years. After many prototypes
we are ready to show you nothing less than perfection.*

Section header

0.1 Accordion


HTML markup example

```

1      <div id="1" role="tablist" aria-multiselectable="true" class="panel-group ct-ac
2
3      <div class="panel panel-default">
4          <div role="tab" id="header-1" class="panel-heading">
5              <h4 class="panel-title"><a aria-controls="collapse-1" aria-expanded="
6
7          </div>
8          <div id="collapse-1" role="tabpanel" aria-labelledby="header-1" class="pa
9
10         <div class="panel-body">
11             <p>Our plan is to release the device around Q3 2017. We know it i
12
13         </div>
14     </div>
15 </div>

```

Screenshot



Accordion Open and Closed

JavaScript

Bootstrap Documentation for Accorion can be found [Here](#).

0.1 Divider section

In Disrupt - Single Product e-Commerce HTML Template we have 2 versions of Divider sections.

- Default
- Currency

Default

HTML markup

```


1 <section id="next-section-1" class="ct-dividerSection ct-dividerSection--motive ct-
2
3     <div class="inner">
4         <div class="container">
5             <div class="row">
6                 <div class="col-sm-12">
7                     <div class="ct-dividerSection--left">
8                         <div class="ct-iconBox ct-iconBox--type3 ct-iconBox
9
10                        <div class="media-left">
11                            
15                            <h4 class="ct-iconBox-title">pre-Order Now
16
17                            <p class="ct-iconBox-description">Get free
18
19                        </div>
20                    </div>
21                </div>
22            </div>
23            <div class="ct-dividerSection--right text-right"><a href=
24                <a href="" class="btn-group btn-group--separated"><
25                    </a>
26                </div>
27            </div>
28        </div>
29    </div>
30
```

```

    </div>
</section>

```

Screenshot



Currency

HTML markup

```

1 <section class="ct-dividerSection ct-dividerSection--currency ct-dividerSection--mo
2   <div class="inner">
3     <div class="container">
4       <div class="row">
5         <div class="col-sm-12 text-center-lg">
6           <div class="ct-dividerSection--left">
7             <div class="ct-iconBox ct-iconBox--type3 ct-iconBox--white
8               <div class="media-body">
9                 <h4 class="ct-iconBox-title">Order Now</h4>
10                <p class="ct-iconBox-description">Get free gift and
11              </div>
12            </div>
13          </div>
14          <div class="ct-dividerSection--right">
15            <form action="" class="ct-addToCart ct-contactForm form-inl
16              <div class="form-group">
17                <input type="text" placeholder="Piece" value="" req
18                <div class="ct-addToCart-logic"><span class="ct-inp
19              </div>
20                <input type="hidden" id="required-value" value="0">
21              </div>
22              <div class="form-group">
23                <select>
24                  <option value="Black">Black</option>
25                  <option value="Purple">Purple</option>
26                </select>
27              </div>
28            </div>
29          </div>
30        </div>
31      </div>
32    </div>
33  </section>
34
35


```

```

36         <option value="Yellow">Yellow</option>
37         <option value="Green">Green</option>
38         <option value="White">White</option>
39     </select>
40 </div>
41     <div class="form-group">
        <button type="submit" class="btn-group btn-group--s
    </button>
    </div>
</form>
</div>
</div>
</div>
</div>
</div>
</section>

```

Screenshot



0.1 Testimonials

The best way to advertise your company is to let your customers speak for you. And we have two types of this element! In Disrupt - Single Product e-Commerce HTML Template

— Slider

HTML markup

```

1 <div class="ct-testimonials">
2     <div class="ct-testimonials-slider ct-dots--type1 ct-dots--positionBottomOffset
3         <div class="item">
4             <div class="ct-testimonial">
5                 <div class="ct-testimonial-icon"><i class="fa fa-commenting-o"></i>
6
7

```

```

8         </div>
9         <p class="ct-testimonial-text">Nam a diam tincidunt, condimentum ni
10     </div>
11 </div>
12 </div>
13 <div class="item">
14     <div class="ct-testimonial">
15         <div class="ct-testimonial-icon"><i class="fa fa-commenting"></i>
16         </div>
17         <p class="ct-testimonial-text">Praesent sed ipsum vitae erat volutp
18     </div>
19 </div>
20 <div class="item">
21     <div class="ct-testimonial">
22         <div class="ct-testimonial-icon"><i class="fa fa-commenting-o"></i>
23         </div>
24         <p class="ct-testimonial-text">Phasellus sit amet ultrices odio. Qu
25     </div>
26 </div>
27 <div class="item">
28     <div class="ct-testimonial">
29         <div class="ct-testimonial-icon"><i class="fa fa-commenting"></i>
30         </div>
31         <p class="ct-testimonial-text">Integer euismod luctus sapien, tempo
32     </div>
33 </div>
34 <div class="item">
35     <div class="ct-testimonial">
36         <div class="ct-testimonial-icon"><i class="fa fa-commenting-o"></i>
37         </div>
38         <p class="ct-testimonial-text">Nam a diam tincidunt, condimentum ni
39     </div>
40 </div>
41 </div>
42 <div class="ct-testimonials-slider-nav-thumbnails">
43     <div class="item">
44         <div class="ct-testimonial-thumbnailItem">
45             <h6 class="ct-testimonial-author">Jeffrey Kendrick</h6><span class="ct-
46             </div>
47         </div>
48     </div>
49     <div class="item">
50         <div class="ct-testimonial-thumbnailItem">
51             <h6 class="ct-testimonial-author">Stan wallis</h6><span class="ct-testi
52             </div>
53         </div>
54     </div>
55 </div>
56 <div class="ct-testimonials-slider-nav-thumbnails">
57     <div class="item">
58         <div class="ct-testimonial-thumbnailItem">
59             <h6 class="ct-testimonial-author">Jeffrey Kendrick</h6><span class="ct-
60             </div>
61         </div>
62     </div>
63     <div class="item">
64         <div class="ct-testimonial-thumbnailItem">
65             <h6 class="ct-testimonial-author">Stan wallis</h6><span class="ct-testi
66             </div>
67         </div>
68     </div>
69 </div>


```

```

<div class="ct-testimonial-thumbnailItem">
  <h6 class="ct-testimonial-author">Jane honda</h6><span class="ct-testim
</div>
</div>
<div class="item">
  <div class="ct-testimonial-thumbnailItem">
    <h6 class="ct-testimonial-author">Ben Gobama</h6><span class="ct-testim
    </div>
  </div>
  <div class="item">
    <div class="ct-testimonial-thumbnailItem">
      <h6 class="ct-testimonial-author">Jeffrey Kendrick</h6><span class="ct-
      </div>
    </div>
  </div>
</div>

```

Screenshot



0.1 Slider

This is the default markup with classes you must use if you want to create a slick slider.

HTML markup

```

1 <div class="ct-slick ct-js-slick">
2   <div class="item">...</div>
3   ...
4   ...

```

```
5 <div class="item">...</div>
</div>
```

— Main Slider

If you want to achieve slider looking like the one on our demo page use this markup example

HTML markup

```
1 <div data-items="1" data-dots="true" data-height="100%" data-draggable="false" data
2
3 <div data-parallax="50" data-background=" ../assets/images/demo-content/drone/sl
4 <div class="item-inner">
5 <div class="ct-pageHeader ct-pageHeader--type1">
6 Aerial Views<span
8
9 <div class="btn-group ct-u-margin-top-30"><a href="#" class="btn bt
10
11 </div>
12 </div>
13 </div>
14 </div>
15 </div>
16 <div data-parallax="50" data-background=" ../assets/images/demo-content/drone/sl
17 <div class="item-inner">
18 <div class="ct-pageHeader ct-pageHeader--type2">
19 
23 </div>
24 </div>
25 </div>
26 </div>
27 <div data-parallax="50" data-background=" ../assets/images/demo-content/drone/sl
28 <div class="item-inner">
29 <div class="ct-pageHeader ct-pageHeader--type3">
30 <div class="media">
31 <div class="media-left">
32 
35 <div class="media-body">
36 <h1 class="ct-pageHeader-title ct-u-color--white">Stands fo
37
38 </div>
</div>
<div class="btn-group ct-u-margin-top-40"><a href="#" class="btn bt
</div>
</div>
</div>
```




```

    </div>
</div>

</div>

```

Screenshot



JavaScript

```

1  $slick.each(function () {
2      var $this = $(this),
3
4
5      // Items Settings
6      ctslidesToShow      = parseInt(validatedata($this.attr("data-items"), 1)
7      slides_xs            = parseInt(validatedata($this.attr("data-items-x
8      slides_sm            = parseInt(validatedata($this.attr("data-items-s
9      slides_md            = parseInt(validatedata($this.attr("data-items-m
10     slides_lg            = parseInt(validatedata($this.attr("data-items-l
11
12     ctaccessibility      = parseBoolean($this.attr("data-accessibility"), tru
13     ctadaptiveHeight     = parseBoolean($this.attr("data-adaptiveHeight"), fa
14     ctautoplay           = parseBoolean($this.attr("data-autoplay"), fals
15
16
17
18
19

```

```

20 ctarrows = parseBoolean($this.attr("data-arrows"), tr
21 ctcenterMode = parseBoolean($this.attr("data-centerMode"), fa
22 ctdots = parseBoolean($this.attr("data-dots"), fals
23 ctdraggable = parseBoolean($this.attr("data-draggable"), tru
24 ctfade = parseBoolean($this.attr("data-fade"), fals
25 ctfocusOnSelect = parseBoolean($this.attr("data-focusOnSelect"), fal
26 ctinfinite = parseBoolean($this.attr("data-infinite"), true
27 ctmobileFirst = parseBoolean($this.attr("data-mobileFirst"), true)
28 ctpauseOnHover = parseBoolean($this.attr("data-pauseOnHover"), true
29 ctpauseOnDotsHover = parseBoolean($this.attr("data-pauseOnDotsHover"), fals
30 ctswipe = parseBoolean($this.attr("data-swipe"),
31 ctswipeToSlide = parseBoolean($this.attr("data-swipeToSlide"), true
32 cttouchMove = parseBoolean($this.attr("data-touchMove"), tru
33 ctuseCSS = parseBoolean($this.attr("data-useCSS"), tr
34 ctvariableWidth = parseBoolean($this.attr("data-variableWidth"), fal
35 ctvertical = parseBoolean($this.attr("data-vertical"), fals
36 ctrl = parseBoolean($this.attr("data-rtl"), false
37 ctasNavFor = validatedata($this.attr("data-asNavFor")),
38 ctappendArrows = validatedata($this.attr("data-appendArrows")),
39 ctprevArrow = validatedata($this.attr("data-prevArrow"), '<b
40 ctnextArrow = validatedata($this.attr("data-nextArrow"), '<b
41 ctcenterPadding = validatedata($this.attr("data-centerPadding"), '50
42 ctcssEase = validatedata($this.attr("data-cssEase"), 'ease
43 cteasing = validatedata($this.attr("data-easing"), 'l
44 ctlazyLoad = validatedata($this.attr("data-lazyLoad"), 'ond
45 ctrespondTo = validatedata($this.attr("data-respondTo"), 'wi
46 ctslide = validatedata($this.attr("data-slide")),
47 ctanimations = validatedata($this.attr("data-animations"), tr
48 ctedgeFriction = parseInt(validatedata($this.attr("data-edgeFrictio
49 ctinitialSlide = parseInt(validatedata($this.attr("data-initialSlid
50 ctautoplaySpeed = parseInt(validatedata($this.attr("data-autoplaySpe
51 ctslidesToScroll = parseInt(validatedata($this.attr("data-slidesToScr
52 ctspeed = parseInt(validatedata($this.attr("data-spe
53 cttouchThreshold = parseInt(validatedata($this.attr("data-touchThresh
54
55 $this.slick({
56     slidesToShow: ctslidesToShow, // Number of slides to
57     accessibility: ctaccessibility, // Enables tabbing and arrow k
58     adaptiveHeight: ctadaptiveHeight, // Enables adaptive height
59     autoplay: ctautoplay, // Enables Autoplay
60     autoplaySpeed: ctautoplaySpeed, // Autoplay Speed in milliseco
61     arrows: ctarrows, // Prev/Next Arrows
62     asNavFor: ctasNavFor, // Set the slider to be th
63     appendArrows: ctappendArrows, // Change where the navigation
64     prevArrow: ctprevArrow, // Allows you to select a
65     nextArrow: ctnextArrow, // Allows you to select a
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84

```

```

85   centerMode:                ctcenterMode,                // Enables centered view w
86   centerPadding:             ctcenterPadding,             // Side padding when in center
87   cssEase:                   ctcssEase,                   // CSS3 Animation Easi
88   dots:                      ctdots,                      // Show dot indica
89   draggable:                 ctdraggable,                 // Enable mouse dragging
90   fade:                      ctfade,                      // Enable fade
91   focusOnSelect:             ctfocusOnSelect,             // Enable focus on selected el
92   easing:                    cteasing,                    // Add easing for jQue
93   edgeFriction:              ctedgeFriction,              // Resistance when swiping edg
94   infinite:                  ctinfinite,                  // Infinite loop sliding
95   initialSlide:              ctinitialSlide,              // Slide to start on
100  lazyLoad:                   ctlazyLoad,                   // Set lazy loading techni
101  mobileFirst:                ctmobileFirst,                // Responsive settings use
102  pauseOnHover:               ctpauseOnHover,               // Pause Autoplay On Hover
103  pauseOnDotsHover:          ctpauseOnDotsHover,           // Pause Autoplay when a dot i
104  respondTo:                  ctrespondTo,                  // Width that responsive o
105  slide:                      ctslide,                      // Element query to us
106  slidesToScroll:             ctslidesToScroll,            // Number of slides to scr
107  speed:                      ctspeed,                      // Slide/Fade animatio
108  swipe:                      ctswipe,                      // Enable swiping
109  swipeToSlide:               ctswipeToSlide,              // Allow users to drag or swip
110  touchMove:                  cttouchMove,                  // Enable slide motion wit
111  touchThreshold:             cttouchThreshold,            // To advance slides, the
    useCSS:                    ctuseCSS,                    // Enable/Disable CSS
    variableWidth:             ctvariableWidth,            // Variable width slides
    vertical:                   ctvertical,                  // Vertical slide mode
    rtl:                        ctrltl                       // Change the slide
    // Responsive Breakpoints

    // end Responsive Breakpoints

}); // end slick initialize

$this.slick('setOption', 'responsive', [{
    breakpoint: $width_lg,
    settings: { slidesToShow: slides_lg }
}], true)

$this.slick('setOption', 'responsive', [{
    breakpoint: $width_md,
    settings: { slidesToShow: slides_md }
}], true)

$this.slick('setOption', 'responsive', [{
    breakpoint: $width_sm,
    settings: { slidesToShow: slides_sm }
}]);

```

```
    }], true)

    $this.slick('setOption', 'responsive', [{
        breakpoint: $width_xs,
        settings: { slidesToShow: slides_xs }
    }], true)
```

Slick Custom Tweaks

New Responsive data-attributes for ease of use:

- data-items-xl
- data-items-lg
- data-items-md
- data-items-sm
- data-items-xs

Slick Documentation can be found [here](#). Files are bundled inside `sella.min.js` & `style.css`

0.1 Buttons

In Disrupt - Single Product e-Commerce HTML Template you will find several variations of sizes and colors for buttons. Using the class you see down below you will be able to set the size of the button and its color.

1. Size

- btn-lg
- btn-sm
- btn-xs

2. Color Full

- group-separated
- motiveColor
- default

- primary
- success
- info
- warning
- dark
- accent
- white

3. Color Open


- transparent

HTML markup


```
1 <button class="btn btn-motive btn-lg">Read More</button>  
2 <a href="#" class="btn btn-motive btn-lg">Read More</a>
```

Screenshot examples

- accent/transparent



- group-separated(dark,default)



0.1 Data Attributes

This are the attributes you can use in the Disrupt - Single Product e-Commerce HTML Template

1. *data-color* – custom text color
2. *data-font-size* – custom font size
3. *data-height* – custom height
4. *data-background* – custom background
5. *data-show* – show hidden content
6. *data-parallax* – set parallax value

0.1 Icon Box

You can easily change what icon will be displayed in box by changing icon class. Here you will find full set of icons.

Disrupt - Single Product e-Commerce HTML Template have 4 variations of icon boxes that are using the classes you can see below.


- .ct-iconBox-type1
- .ct-iconBox-type2
- ct-iconBox-type4
- ct-iconBox-type5

HTML markup example

```
1 <div class="ct-iconBox ct-iconBox--type1">  
2   <div class="ct-iconBox-icon"><i class="fa fa-shield"></i>  
3   </div>  
4   </div>  
5   <h6 class="ct-iconBox-title">Durable</h6>  
6   <p class="ct-iconBox-description">For special tasks</p>
```

</div>

Screenshot



HTML markup example

```
1 <div class="ct-iconBox ct-iconBox--type2">
2   <div class="ct-iconBox-icon"><i class="fa fa-shield"></i>
3   </div>
4   </div>
5   <h6 class="ct-iconBox-title">Durable</h6>
6   <p class="ct-iconBox-description">For special tasks</p>
  </div>
```


Screenshot



HTML markup example

```
1 <div class="ct-iconBox ct-iconBox--type4">
2   <div class="ct-iconBox-icon"><i class="fa fa-shield"></i>
3   </div>
4   </div>
5   <h6 class="ct-iconBox-title">Durable</h6>
6   <p class="ct-iconBox-description">For special tasks</p>
  </div>
```


Screenshot



HTML markup example

```
1 <div class="ct-iconBox ct-iconBox--type5">
2   <div class="ct-iconBox-icon"><i class="fa fa-shield"></i>
3   </div>
4   </div>
5   <h6 class="ct-iconBox-title">Durable</h6>
6   <p class="ct-iconBox-description">For special tasks</p>
  </div>
```

Screenshot



0.1 Person Box

HTML markup

```

1  <a href="#" class="ct-personBox">
2      <div class="ct-personBox-image">
3          
4          <div class="inner">
5              <div class="inner-table">
6                  <div class="inner-cell"><span class="ct-personBox-nameHidden">Jack<
7                  </div>
8              </div>
9          </div>
10         </div>
11         <h6 class="ct-personBox-name">Jack</h6>
12     </a>

```

Screenshot



HANK



JOHN

Person box example


0.1 Lightgallery

It is a really nice way to present images on your website

HTML marker (example)

```
1 <div id="ct-gallery" class="ct-gallery ct-js-gallery ct-gallery--col5 lightGallery">  
2 </div>
```

Screenshot



Lightgallery

JavaScript

```

1  $('lightGallery').each(function() {
2      $(this).lightGallery({
3          thumbnail:true
4      });
5  });

```

Lightgallery Documentation can be found [here](#). Files are bundled inside `sella.min.js` & `style.css`

0.1 Contact Form

All needed files are in `/form` directory.

To **configure** form just edit `form/config.php` and change e-mails to your own :

```

1  $to = "mail@example.com";
2  $from = "mail@example.com";

```

That's it!

HTML markup

```

1  <form action="../../assets/form/send.php" method="POST" class="validateIt ct-form ct-f
2
3      <div class="row ct-u-margin-bottom-20">
4          <div class="col-md-4">
5              <div class="inner-group">
6                  <div class="form-group">
7                      <input type="text" placeholder="Name *" id="contact_name" r
8                      <label for="contact_name" class="sr-only">Name *</label>
9                  </div>
10                 <div class="form-group">
11                     <input type="text" placeholder="Email *" id="contact_email"
12                     <label for="contact_email" class="sr-only">Email *</label>
13                 </div>
14             </div>
15         </div>
16         <div class="col-md-8">
17             <div class="form-group">
18                 <textarea placeholder="Your message *" id="contact_message" r
19             </div>
20         </div>
21     </div>
22
23
24

```

```

25         <label for="contact_message" class="sr-only">Your message *</
26     </div>
27 </div>
28 </div>
29 </div>
30 <div class="row">
31     <div class="col-sm-8 text-left"><span class="ct-u-color--gray ct-
32     <div class="col-sm-4">
33         <div class="row">
            <div class="col-xs-5"><a class="btn btn-link"><i class="fa fa
            <div class="col-xs-7">
                <button class="btn btn-motive btn-square">send message</but
            </div>
        </div>
    </div>
</div>
</div>
</form>

```

Screenshot

SEND US A MESSAGE

NAME*

EMAIL ADDRESS*

WEBSITE

PHONE NO

MEETINGS SUBJECT*

MESSAGE*

SEND MESSAGE

*MARKED FIELDS ARE MANDATORY

Contact form

Options (can be changed in HTML) :

- **Mail Subject** – just change value in :
- **Success Message** – change successMessage div content
- **Error Message** – change errorMessage div content

0.1 Sources & Credits

The following sources and files have been used to build up this theme

Twitter Bootstrap – <http://twitter.github.com/bootstrap/>

jQuery – <http://www.jquery.com>

Isotope – <http://isotope.metafizzy.co/>

Chartist – <https://gionkunz.github.io/chartist-js/>

Slick – <http://kenwheeler.github.io/slick/>

